Butane-Powered Torches

General Industrial Torch GT-70

Hand-held or Table-top, **Butane-powered, Heavy-duty, General Industrial Torch**

- Self-igniting piezo electric ignition is easy to start and eliminates need for lighter or matches
- Large capacity, built-in, durable, metal fuel tank for 30-minute continuous run time on a full charge
- Large sized adjustable blue flame accommodates heavy-duty industrial applications with temperatures up to 2500°F/1300°C
- Safety lock prevents unintentional ignition, locks for storage

- · Removable base for table-top or handheld use
- Meets Consumer Products Safety Commission (CPSC) Child Safety Requirements
- Use to braze with special alloy welding rods, heat and bend thin metals, loosen rusted bolts, pop dents out of metal, shrink and terminate heavy wall adhesive-lined tubing, solder and desolder and more
- · Refill with Master Ultratane Butane for best performance (page 31)



General Industrial Torch GT-70

General Industrial Torch

Model No. Description

Specifications

GT-70

- Approx. Flame Temp. 2500°F
- Fuel Tank: Metal, Built-in, Refillable
- Approx. Run Time: 30 min.
- **Dimensions:** 6.5" H x 5" W x 1.8" D
- Tool Net Weight: 10.6 oz.
- Shipping Weight Tool: 1 lb.
- **Shipped Empty**
- **(1)**

NOTE: Users should independently evaluate the suitability of the product for their application.

Ultratane® Butane

For Use with All Master Butane-powered Products

- · Recommended fuel for all Master butane-powered products
- Triple-refined formula reduces clogging of filters
- Special vapor pressure promotes consistent ignition
- · Contains no CFC's
- Available in three convenient sizes: 5 1/8 oz. (145 gram), 3 \(^4\) oz. (106 gram), and 15/16 oz. (26 gram) cannisters
- Model 10448 and 11799 meet Limited Quantity Class Markings and can ship via ground transportation without hazardous material charges
- Model 51773 has proper D.O.T. markings and ships via ground transportation with hazardous material charges



Ultratane Butane		
Model No.	Description	
51773	$5\ \%$ oz. (145 gram) canister with universal tip adapter	
11799	3 ¾ oz. (106 gram) canister with universal tip adapter	
10448	$^{15}\!\!/_{6}$ oz. (26 gram) canister with universal tip adapter	



Butane-Powered Glue Guns

Master PortaPro® Glue Gun — GG-100



GG Series PortaPro Glue Gun GG-100

Includes: glue gun, general purpose tip (35408) and four general purpose 6" glue sticks



Continuous use operating times up to 140 minutes



Cordless operation is fast and convenient

PortaPro Glue Gun				
Model No.	Description			
GG-100	PortaPro Glue Gun			
GG-100K	PortaPro Glue Gun Kit			
Specifications				
Approx. 392°F/20	Operating Temp:	■ Dimensions: 8.4" L x 2.1" W x 8.0" H sec.		

• Ramp Up Time: 3-4 minutes ■ Recommended Glue Stick: 1/2" Glue Melt Rate: up to 1.9 lbs. per hour

Approx. Run Time: 140 minutes

(full tank) • Fuel Capacity: 20 ml.

■ Tool Net Weight: 14.8 oz. w/o fuel

• Shipping Weight Tool: 2 lbs. Shipping Weight Kit: 3 lbs.

Shipped Empty

1

NOTE: Users should independently evaluate the suitability of the product for their application.





Includes: glue gun, 4 tips, 8 general purpose 6" long glue sticks & manual packed in a rugged storage case. Case has slot to hold Master Butane (51773 not included)

Optional Accessories





35408 Standard general purpose tip



35409 Needle extension tip



Diagonal cut extension tip



35411 Spreader extension tip

Part No.	Description
35408	Standard general purpose tip — Dia. 4.47mm 0.D.
35409	Needle extension tip — 7.8mm long Dia. 3.2mm O.D.
35410	Diagonal cut extension tip — 8.4mm long x 45° Dia. 4.74mm O.D.
35411	Spreader extension tip — 7.6mm(L) x 6.6mm(W) 0.50mm I.D. slot
35412	12 General purpose glue sticks 12" long x 1/2" dia.
35413	12 Carton closing glue sticks 12" long x 1/2" dia
35414	12 Woodworking glue sticks 12" long x 1/2" dia.
35454	20 lbs. General purpose glue sticks (approx. 290 sticks)
35455	20 lbs. Carton closing glue sticks (approx. 290 sticks)

Cordless, Butane-powered Hotmelt Glue Gun

- Use to bond corrugated materials, chipboard and wood, fasten plastics, light metals, textiles, shock absorbent packaging, capacitors, resistors, soldered parts, electrical potting/staking parts on PC boards and jumper wires, reseal products during packaging, and glue down carpeting
- Completely portable, lets you work almost anywhere

35456

- Industrial power and durability
- One touch, fast piezo ignition
- Reaches operating temperature in less than 4 minutes
- 140 minutes continuous run time with a full charge
- · Fuel view window indicates fuel level
- Built-in fold away stand
- Unlimited versatility

20 lbs. Woodworking glue sticks (approx. 290 sticks)

· Refill with Master Ultratane Butane for best performance (page 31)

Butane-Powered Glue Guns

Master PortaPro® Glue Gun — GG-200



Easy to Refill



Cordless operation is fast and convenient



PortaPro Glue Gun		
Model No.	Description	
GG-200	PortaPro Glue Gun	

Specifications

- Approx. Operating Temp: 392°F/200°C
- Ramp Up Time: 3-4 minutes
- Recommended Glue Stick: ½"
- Glue Melt Rate: up to .67 lbs. per hour
- Approx. Run Time: 120 minutes (full tank)
- Fuel Capacity: 6 grams
- **Dimensions:** 6.75" L x 1.25" W x 6" H
- Tool Net Weight: 7.9 oz. w/o fuel
- Shipping Weight Tool: 2 lbs.
- Shipped Empty
- **(F**

NOTE: Users should independently evaluate the suitability of the product for their application.

Optional Accessories		
Part No.	Description	
35412	12 General purpose glue sticks 12" long x 1/2" dia.	
35413	12 Carton closing glue sticks 12" long x 1/2" dia	
35414	12 Woodworking glue sticks 12" long x 1/2" dia.	
51773	5 % oz. (145 gram) canister with universal tip adapter	
11799	3% oz. (106 gram) canister with universal tip adapter	
10448	¹5/16 oz. (26 gram) canister with universal tip adapter	

Master PortaPro Glue Gun – GG-200

- Use to bond corrugated materials, chipboard and wood, fasten plastics, light metals, textiles, shock absorbent packaging, capacitors, resistors, soldered parts, electrical potting/staking parts on PC boards and jumper wires and glue down carpeting
- · Completely portable, lets you work almost anywhere
- Industrial power and durability
- One touch, fast piezo ignition
- Reaches operating temperature in less than 4 minutes
- 120 minutes continuous run time with a full charge
- Fuel view window indicates fuel level
- Unique temperature control thermostat controls glue gun chamber temperature and regulates gas flow
- Lightweight (7.9 oz.)
- Refill with Master Ultratane Butane for best performance (page 31)